

LV SWITCHGEAR
MCBs | MCCBs | RCCBs
DBs | ISOLATORS

LED LIGHTING
Flood | Concealed | Hi-Bay
Street | Batten | COB | Bulb

PRICE LIST

Miniature Circuit Breaker (MCB)



MID TRIP 10KA		B Curve		C Curve		HSN Code 85362030
NO OF POLES	RATING (Amps)	CAT NO	MRP Per Unit (₹)	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
Single Pole (SP) 240V 50Hz	6-32 A	AX 1 B6-32	188	AX 1 C6-32	198	12
	40 A	AX 1 B40	252	AX 1 C40	265	12
	63 A	AX 1 B63	329	AX 1 C63	345	12
Single Pole Neutral (SPN) 240V 50Hz	6-32 A	AX 1N B6-32	393	AX 1N C6-32	413	6
	40 A	AX 1N B40	491	AX 1N C40	515	6
	63 A	AX 1N B63	603	AX 1N C63	633	6
Double Pole (DP) 240V 50Hz	6-32 A	AX 2 B6-32	424	AX 2 C6-32	446	6
	40 A	AX 2 B40	548	AX 2 C40	575	6
	63 A	AX 2 B63	711	AX 2 C63	747	6
Three Pole (TP) 415V 50Hz	6-32 A	AX 3 B6-32	656	AX 3 C6-32	689	4
	40 A	AX 3 B40	831	AX 3 C40	872	4
	63 A	AX 3 B63	1069	AX 3 C63	1122	4
Three Pole Neutral (TPN) 415V 50Hz	6-32 A	AX 3N B6-32	857	Ax 3N C6-32	900	3
	40 A	AX 3N B40	1058	Ax 3N C40	1111	3
	63 A	AX 3N B63	1301	Ax 3N C63	1367	3
Four Pole (FP) 415V 50Hz	6-32 A	AX 4 B6-32	908	Ax 4 C6-32	953	3
	40 A	AX 4 B40	1148	Ax 4 C40	1205	3
	63 A	AX 4 B63	1464	Ax 4 C63	1537	3



Miniature Circuit Breaker (MCB) Ace



MID TRIP 10KA		B Curve		C Curve		HSN Code 85362030
NO OF POLES	RATING (Amps)	CAT NO	MRP Per Unit (₹)	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
Single Pole (SP) 240V 50Hz	6-32 A	AX 1 B6-32	205	AX 1 C6-32	212	12
	40 A	AX 1 B40	276	AX 1 C40	286	12
	63 A	AX 1 B63	355	AX 1 C63	370	12
Single Pole Neutral (SPN) 240V 50Hz	6-32 A	AX 1N B6-32	428	AX 1N C6-32	442	6
	40 A	AX 1N B40	532	AX 1N C40	551	6
	63 A	AX 1N B63	658	AX 1N C63	683	6
Double Pole (DP) 240V 50Hz	6-32 A	AX 2 B6-32	466	AX 2 C6-32	481	6
	40 A	AX 2 B40	613	AX 2 C40	634	6
	63 A	AX 2 B63	781	AX 2 C63	811	6
Three Pole (TP) 415V 50Hz	6-32 A	AX 3 B6-32	720	AX 3 C6-32	741	4
	40 A	AX 3 B40	946	AX 3 C40	979	4
	63 A	AX 3 B63	1192	AX 3 C63	1238	4
Three Pole Neutral (TPN) 415V 50Hz	6-32 A	AX 3N B6-32	939	Ax 3N C6-32	969	3
	40 A	AX 3N B40	1202	Ax 3N C40	1233	3
	63 A	AX 3N B63	1479	Ax 3N C63	1536	3
Four Pole (FP) 415V 50Hz	6-32 A	AX 4 B6-32	990	Ax 4 C6-32	1023	3
	40 A	AX 4 B40	1306	Ax 4 C40	1352	3
	63 A	AX 4 B63	1642	Ax 4 C63	1696	3



New Design

Isolator Switches
Conforms to IS/IEC 60947-3

HSN Code
85362090

NO OF POLES	RATING (Amps)	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
Double Pole (DP)	40 A	AX 2 IS 40	370	6
Double Pole (DP)	63 A	AX 2 IS 63	385	6
Double Pole (DP)	100 A	AX 2 IS 100	560	6
Three Pole (TP)	40 A	AX 3 IS 40	560	4
Three Pole (TP)	63 A	AX 3 IS 63	585	4
Three Pole (TP)	100 A	AX 3 IS 100	930	4
Four Pole (FP)	40 A	AX 4 IS 40	755	3
Four Pole (FP)	63 A	AX 4 IS 63	810	3
Four Pole (FP)	100 A	AX 4 IS 100	1235	3



MCB Changeover Switch (Two-Way Centre Off)

MCB Changeover switch conforms to IS:13947/Part III & IEC 60947

MCB Changeover switch provides changeover from main supply to generator supply & vice-versa

HSN Code
85362090

NO OF POLES	RATING (Amps)	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
Double Pole (DP)	25 A	AX 2 CH 25	600	6
Double Pole (DP)	40 A	AX 2 CH 40	665	6
Double Pole (DP)	63 A	AX 2 CH 63	755	6
Four Pole (FP)	25 A	AX 4 CH 25	1225	4
Four Pole (FP)	40 A	AX 4 CH 40	1390	4
Four Pole (FP)	63 A	AX 4 CH 63	1555	4



Residual Current Circuit Breaker (RCCB) 6 kA



CML: 0004053344

HSN Code
85362040

NO OF POLES	RATING (Amps)	CAT NO	MRP Per Unit (₹)			STD PACK (No. of Units)
			Sensitivity			
			30mA	100mA	300mA	
Double Pole (DP)	25 A	AX 2 RCCB 25 30/100/300 mA	1675	1630	1630	1
Double Pole (DP)	40 A	AX 2 RCCB 40 30/100/300 mA	1710	1675	1675	1
Double Pole (DP)	63 A	AX 2 RCCB 63 30/100/300 mA	1745	1710	1710	1
Four Pole (FP)	25 A	AX 4 RCCB 25 30/100/300 mA	2510	2460	2460	1
Four Pole (FP)	40 A	AX 4 RCCB 40 30/100/300 mA	2560	2510	2510	1
Four Pole (FP)	63 A	AX 4 RCCB 63 30/100/300 mA	2615	2560	2560	1



Single Door DB, Single Phase Neutral (SPN)

Premium powder coated sheet steel DB, fitted with bus-bar, neutral link and din rail. Conforms to IS: 13032-1991

HSN Code

85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
4	AX 1 DB 4	550	20
6	AX 1 DB 6	675	12
8	AX 1 DB 8	780	10
10	AX 1 DB 10	895	10
12	AX 1 DB 12	1015	10
16	AX 1 DB 16	1265	8



Single Door DB, Three Phase Neutral (TPN)

Premium powder coated sheet steel DB, fitted with bus-bar, neutral link and din rail. Conforms to IS: 13032-1991

HSN Code

85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
4	AX 3 DB 4	1745	4
6	AX 3 DB 6	2195	4
8	AX 3 DB 8	2680	4
12	AX 3 DB 12	3625	2



Double Door DB, Single Phase Neutral (SPN) Classic Plus Series

Premium powder coated sheet steel DB, fitted with bus-bar, cement guard, neutral link, earth link, din rail along with separate door packing. Conforms to IS: 13032-1991

HSN Code

85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
4	AX 1 CP DBDD 4	985	12
6	AX 1 CP DBDD 6	1195	6
8	AX 1 CP DBDD 8	1360	6
12	AX 1 CP DBDD 12	1695	6
16	AX 1 CP DBDD 16	2075	6



Double Door DB, Three Phase Neutral (TPN) Classic Plus Series

Premium powder coated sheet steel DB, fitted with bus-bar, cement guard, neutral link, earth link, din rail along with wire assembly & separate door packing. Conforms to IS: 13032-1991

HSN Code

85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	MRP Per Unit (₹) (without wire Assy)	STD PACK (No. of Units)
4	AX 3 CP DBDD 4	2705	2335	3
6	AX 3 CP DBDD 6	3350	2980	3
8	AX 3 CP DBDD 8	3935	3565	3
12	AX 3 CP DBDD 12	5155	4785	2



MCB Enclosure Metal Clad (Cutout)

HSN Code

85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
1/2	AX C 1/2	250	60
3/4	AX C 3/4	307	50



MCB Enclosure Plastic (Cutout)

HSN Code

85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
1/2	AX PC 2E (Eco Model)	40	60
1/2	AX PC 2	81	60
3/4	AX PC 4	109	50



MCB Enclosure Plastic (with Protective Cover)

HSN Code

85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
1/2	AX PX 1/2	135	60
3/4	AX PX 3/4	197	50



Plug & Socket DB

Sheet steel enclosure fitted with earth metal plug and socket suitable for incorporating SPN/DP or TPN/FP MCB

HSN Code

85371000

NO OF POLES	RATING (A)	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
1P / 1P+N	SPN 20	AX 1N PSDB 20	880	12
3P / 3P+N	TP / TPN 20	AX 3N PSDB 20	1250	9
3P / 3P+N	TP / TPN 30	AX 3N PSDB 30	1720	9



Plug & Socket Metal Clad

HSN Code

85366910

NO OF POLES	RATING (A)	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
2 POLE+EARTH	10	AX MP 10/2	170	30
2 POLE+EARTH	10	AX MS 10/2	185	30
2 POLE+EARTH	20	AX MP 20/2	220	50
2 POLE+EARTH	20	AX MS 20/2	240	50
3 POLE+EARTH	20	AX MP 20/3	255	25
3 POLE+EARTH	20	AX MS 20/3	315	25
3 POLE+EARTH	30	AX MP 30/3	555	20
3 POLE+EARTH	30	AX MS 30/3	520	20



Multi Option Plug & Socket DB

HSN Code
85371000

NO OF WAYS/RATING	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
2 WAY/SPN 20 A	AX 1N PSDBMO 20 2W	1565	1
3 WAY/SPN 20 A	AX 1N PSDBMO 20 3W	2150	1
4 WAY/SPN 20 A	AX 1N PSDBMO 20 4W	2920	1
2 WAY/TPN 20 A	AX 3N PSDBMO 20 2W	1850	1
3 WAY/TPN 20 A	AX 3N PSDBMO 20 3W	2515	1
4 WAY/TPN 20 A	AX 3N PSDBMO 20 4W	3350	1

MULTI OPTION PLUG & SOCKET DB (ONLY ENCLOSURE)

2 WAY/SPN/TPN 20 A	AX PSDBMO 20 2W EN	765	1
3 WAY/SPN/TPN 20 A	AX PSDBMO 20 3W EN	910	1
4 WAY/SPN/TPN 20 A	AX PSDBMO 20 4W EN	1220	1



Vertical Double Door DB, Three Phase Neutral (TPN)

Three phase reversible double door DB with option for mounting either MCB or MCCB as incomer

HSN Code
85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
4 WAY (12 O/G)	AX 3 VDB DD 4 MCB/MCCB	5560	1
6 WAY (18 O/G)	AX 3 VDB DD 6 MCB/MCCB	6760	1
8 WAY (24 O/G)	AX 3 VDB DD 8 MCB/MCCB	8010	1
12 WAY (36 O/G)	AX 3 VDB DD 12 MCB/MCCB	10525	1



Vertical Phase Selector Double Door DB, Three Phase Neutral (TPN)

Axiom vertical type phase selector DB provides ample space for wiring and has two separate compartments for MCBs & phase selector switches. Suitable for use on 240/415V, 50 Hz supply & comes with 8P incomer provision.

HSN Code
85371000

NO OF WAYS/RATING	CAT NO	WITHOUT ROTARY SWITCH, WIRE ASSY & ROCKER SWITCH	COMPLETE WITH ROTARY SWITCH, WIRE ASSY & ROCKER SWITCH	STD PACK (No. of Units)
		MRP Per Unit (₹)	MRP Per Unit (₹)	
4 WAY/40 A	AX 3 PSDB DD 4 40	5720	10075	1
4 WAY/63 A	AX 3 PSDB DD 4 63		11400	1
6 WAY/40 A	AX 3 PSDB DD 6 40	6470	10900	1
6 WAY/63 A	AX 3 PSDB DD 6 63		12340	1
8 WAY/40 A	AX 3 PSDB DD 8 40	7210	11800	1
8 WAY/63 A	AX 3 PSDB DD 8 63		13495	1
12 WAY/40 A	AX 3 PSDB DD 12 40	8640	13410	1
12 WAY/63 A	AX 3 PSDB DD 12 63		15210	1



TV/Tel Socket DB Single Phase Neutral (SPN)

Axiom TV/Telephone double door DB comes fitted with bus bar, neutral link, earth link having telephone socket & TV co-axial socket suitable for use in apartments

HSN Code
85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
2+6 WAY	AX 1 TVTLDB DD 6	2685	1
2+8 WAY	AX 1 TVTLDB DD 8	2895	1
2+12 WAY	AX 1 TVTLDB DD 12	3220	1



MCCB Enclosures, IP-30 Sheet Steel

Axiom MCCB Enclosure has a unique universal mounting plate design that accommodates all leading brand MCCBs

HSN Code
85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
S1 - 100	AX ME 100	890	12
S2 - 160	AX ME 160	1140	6
S3 - 250	AX ME 250	1750	3
S4 - 400	AX ME 400	4120	1



Cross DB, Single Phase Neutral (SPN) (Plastic Cover & Metal Base)

Axiom Cross DB is a unique concept having powder coated metal base and aesthetically designed plastic cover, fitted with bus-bar, neutral link & earth link

HSN Code
85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)		STD PACK (No. of Units)
		DESIGN 1	DESIGN 2	
6 WAY	AX CR 1 DB 6 D1/D2	1195	1290	6
9 WAY	AX CR 1 DB 9 D1/D2	1425	1490	6
13 WAY	AX CR 1 DB 13 D1/D2	1750	1850	6



IP55 Plastic DB, Single Phase Neutral (SPN)

Axiom IP55 Plastic DB is a special purpose DB suitable for use in environments which require full proof protection from dust, water or any other foreign object.

HSN Code
85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
5 WAY	AX IP 55 1 DB 5	1000	6
8 WAY	AX IP 55 1 DB 8	1360	6
12 WAY	AX IP 55 1 DB 12	2085	6



IP65 Plastic DB, Single Phase Neutral (SPN)

Axiom IP65 Plastic DB is a special purpose DB suitable for use in environments which require full proof protection from dust, water or any other foreign object.

HSN Code
85371000

NO OF WAYS	CAT NO	MRP Per Unit (₹)	STD PACK (No. of Units)
5 WAY	AX IP 65 1 DB 5	875	6
8 WAY	AX IP 65 1 DB 8	1385	6
12 WAY	AX IP 65 1 DB 12	1870	6



New Addition

Bus Bar Chamber

(with Tin Plated Copper Strip)

Axiom Bus Bar Chamber offers unique stepwise phase distribution for ease of wiring

HSN Code

85371000

S. No.	RATING	CATNO	AMP/VOLT	ENCLOSURE SIZE (In mm)	MRP Per Unit (₹)	STD PACK (No. of Units)
1	63 Amp	AXBBCDD 63 AMP	63A/415 V	315X276X160	3255	1
2	100 Amp	AXBBCDD 100 AMP	100/415 V	397X298X160	4450	1
3	200 Amp	AXBBCDD 200 AMP	200/415 V	465X336X160	6925	1
4	300 Amp	AXBBCDD 300 AMP	300/415 V	624X410X160	12830	1
5	400 Amp	AXBBCDD 400 AMP	400/415 V	624X410X160	18835	1



New Addition

Moulded Case Circuit Breaker (MCCB)

Fixed thermal & fixed magnetic setting

HSN Code

85362020

RATING/Icu	CATNO	MRP Per Unit (₹)		STD PACK (No. of Units)
		THREE POLE	FOUR POLE	
63-100A/10kA	AX 3/4 MCCB 63-100 10K	1980	2660	1
125A/10kA	AX 3/4 MCCB 125 10K	2040	2745	1
63-100A/35kA	AX 3/4 MCCB 63-100 35K	2880	3880	1
125A/35kA	AX 3/4 MCCB 125 35K	3075	4160	1
160A/35kA	AX 3/4 MCCB 160 35K	5205	7235	1
200A/35kA	AX 3/4 MCCB 200 35K	5295	7370	1
250A/35kA	AX 3/4 MCCB 250 35K	5590	7885	1
315-400A/50kA	AX 3/4 MCCB 315-400 50K	13150	18225	1
630A/50kA	AX 3/4 MCCB 630 50K	20745	28960	1



10K Design



35/50K Design

Spreader Links (For MCCB)

(with Tin Plated Copper)

HSN Code

85389000








RATING/Icu	CATNO	MRP Per Unit (₹)		STD PACK (No. of Units)
		THREE POLE (Set of 6)	FOUR POLE (Set of 8)	
40-125A/10kA	AXSL 40-125 10K-3/4	325	455	1
40-125A/35kA	AXSL 40-125 35K-3/4	455	620	1
160-250A/35kA	AXSL 160-250 35K-3/4	1045	1420	1
375-400A/50kA	AXSL 315-400 50K-3/4	2500	3325	1



New Addition








LED INDOOR LIGHTING New Launch

HSN Code
85395000

S.NO.	PRODUCT DESCRIPTION	CATALOGUE NO.	PRODUCT PICTURE	MRP(₹) (incl. of all Taxes)
1	9W Led Bulb	AXLDB 9W WW/NW/CW		148
2	12W Led Bulb	AXLDB 12W WW/NW/CW		268
3	15W Led Bulb	AXLDB 15W WW/NW/CW		301
4	18W Led Bulb	AXLDB 18W WW/NW/CW		399
5	23W Led Bulb	AXLDB 23W WW/NW/CW		499
6	30W Higher Wattage Bulb	AXLDHB 30W WW/NW/CW		790
7	40W Higher Wattage Bulb	AXLDHB 40W WW/NW/CW		1125
8	5W Concealed Light (PC)	AXLDC 5WPC WW/NW/CW		230
9	7W Concealed Light (PC)	AXLDC 7WPC WW/NW/CW		280
10	7W Concealed Light(AL)	AXLDC 7WAL WW/NW/CW		295
11	12W Concealed Light (PC)	AXLDC 12WPC WW/NW/CW		570
12	7W Concealed Light (Lens)	AXLDC 7WL WW/NW/CW		305
13	3W COB Light	AXLDCB 3W WW/NW/CW		530
14	7W COB Light	AXLDCB 7W WW/NW/CW		665
15	15W COB Light	AXLDCB 15W WW/NW/CW		1220
16	20W COB Light	AXLDCB 20W WW/NW/CW		1365
17	25W COB Light	AXLDCB 25W WW/NW/CW		1920
18	30W COB Light	AXLDCB 30W WW/NW/CW		2075
19	7W Deep COB Light	AXLDCBD 7W WW/NW/CW		500
20	12W Deep COB Light	AXLDCBD 12W WW/NW/CW		1180
21	20W Deep COB Light	AXLDCBD 20W WW/NW/CW		1500
22	8W Downlighter (Round)	AXLDDL 8W WW/NW/CW		365
23	15W Downlighter (Round)	AXLDDL 15W WW/NW/CW		655
24	20W Downlighter (Round)	AXLDDL 20W WW/NW/CW		990
25	24W Downlighter (Round)	AXLDDL 24W WW/NW/CW		1435
26	32W Downlighter (Round)	AXLDDL 32W WW/NW/CW		1690

LED INDOOR LIGHTING New Launch

HSN Code
85395000

S.NO.	PRODUCT DESCRIPTION	CATALOGUE NO.	PRODUCT PICTURE	MRP(₹) (incl. of all Taxes)
27	8W Downlighter (Square)	AXLDDLS 8W WW/NW/CW		365
28	15W Downlighter (Square)	AXLDDLS 15W WW/NW/CW		655
29	20W Downlighter (Square)	AXLDDLS 20W WW/NW/CW		990
30	24W Downlighter (Square)	AXLDDLS 24W WW/NW/CW		1620
31	32W Downlighter (Square)	AXLDDLS 32W WW/NW/CW		1995
32	8W Surface Downlighter (Round)	AXLSDSLR 8W WW/NW/CW		435
33	15W Surface Downlighter (Round)	AXLSDSLR 15W WW/NW/CW		735
34	20W Surface Downlighter (Round)	AXLSDSLR 20W WW/NW/CW		1075
35	8W Surface Downlighter (Square)	AXLSDSLS 8W WW/NW/CW		470
36	15W Surface Downlighter (Square)	AXLSDSLS 15W WW/NW/CW		760
37	20W Surface Downlighter (Square)	AXLSDSLS 20W WW/NW/CW		1105
38	5W Tube Light (1Ft)	AXLDTL 5W WW/NW/CW		250
39	10W Tube Light (2Ft)	AXLDTL 10W WW/NW/CW		325
40	20W Tube Light (4Ft)	AXLDTL 20W WW/NW/CW		535
41	40W Downlighter (Panel) 2 X 2	AXLDDL 40W WW/NW/CW		3370
42	20W Track Light	AXLDTR 20W WW/NW/CW		3080
43	36W LINEAR LIGHT 4 FEET	AXLDLL 36W4		6690
44	60W LINEAR LIGHT 8 FEET	AXLDLL 60W8		12415
45	1A Strip Light with driver	AXLDSL 1A WW/NW/CW		1005
46	2.5A Strip Light with driver	AXLDSL 2A WW/NW/CW		1195
47	50W Driver	AXLDDR 50W		580
48	100W Driver	AXLDDR 100W		1545

LED OUTDOOR LIGHTING **New Launch**

HSN Code
94052090

S.NO.	PRODUCT DESCRIPTION	CATALOGUE NO.	PRODUCT PICTURE	MRP(₹) (incl. of all Taxes)
1	30W Flood Light (33 LED)	AXLDFL 30W33 WW/NW/CW		1695
2	50W Flood Light (51 LED)	AXLDFL 50W51 WW/NW/CW		1925
3	50W Flood Light (100 LED)	AXLDFL 50W100 WW/NW/CW		2025
4	50W Flood Light (48 LED) Lens	AXLDFL 50W48 WW/NW/CW		2185
5	100W Flood Light (200 LED)	AXLDFL 100W200 WW/NW/CW		3670
6	100W Flood Light (112 LED) Lens	AXLDFL 100W112 WW/NW/CW		4065
7	30W Flood Light (Heavy Duty)	AXLDFLHD 30W WW/NW/CW		2200
8	50W Flood Light (Heavy Duty)	AXLDFLHD 50W WW/NW/CW		2925
9	100W Flood Light (Heavy Duty)	AXLDFLHD 100W WW/NW/CW		5855
10	150W Flood Light (Heavy Duty)	AXLDFLHD 150W WW/NW/CW		9675
11	200W Flood Light (Heavy Duty)	AXLDFLHD 200W WW/NW/CW		11890
12	30W Street Light	AXLDST 30W WW/NW/CW		1685
13	50W Street Light	AXLDST 50W WW/NW/CW		1940
14	100W Street Light	AXLDST 100W WW/NW/CW		3945
15	30W Street Light (Heavy Duty)	AXLDSTHD 30W WW/NW/CW		2430
16	50W Street Light (Heavy Duty)	AXLDSTHD 50W WW/NW/CW		3180
17	100W Street Light (Heavy Duty)	AXLDSTHD 100W WW/NW/CW		6240
18	120W Street Light (Heavy Duty)	AXLDSTHD 120W WW/NW/CW		9135
19	150W Street Light (Heavy Duty)	AXLDSTHD 150W WW/NW/CW		9750
20	150W Stadium Flood Light (Module) (3 x 50W)	AXLDM503 150W		5575
21	200W Stadium Flood Light (Module) (4 x 50W)	AXLDM504 200W		7510
22	300W Stadium Flood Light (Module) (6 x 50W)	AXLDM506 300W		11565
23	400W Stadium Flood Light (Module) (8 x 50W)	AXLDM508 400W		16015
24	100W Hi-Bay Light	AXLDHB 100W		7125
25	150W Hi-Bay Light	AXLDHB 150W		10545
26	200W Hi-Bay Light	AXLDHB 200W		14170

NOTES

TERMS & CONDITIONS

1. This Price List supersedes all previous price lists.
2. All prices are in INR and inclusive of all taxes.
3. All prices are subject to general terms and conditions of the business.
4. Prices are subject to change without prior notice.
5. All disputes are subject to Nalagarh Jurisdiction.
6. Company reserves the right to issue amendment which may arise due to any error in price list.
7. Due to continuous development, specifications and features are subject to change without prior notice.

— LV SWITCHGEAR —



MCBs | MCCBs | RCBs | ISOLATORS | DBs

— LED LIGHTING —



Flood | Street | Hi-Bay | Concealed | Panels | COB | Bulb | Batten

axiom
POWER IN SAFE HANDS

AXIOM CONTROLS PVT LTD

Works:

Plot No 2/3 Export Promotion Industrial Park
Phase-I, Jharmajri, Baddi, Himachal Pradesh - 174103

Tel : +91 1795-271646/746

Mob : +91 9816 095 484 | +91 8352 800 683 | +91 8352 800 684

Email: crm@axiommb.com | marketing@axiommb.com

website: www.axiommb.com

